# Safety Data Sheet





# 1. Identification of the Substance/Wixture and the Company/Undertaking

1.1 Product Identifier 3226A0 Revision Date: 08/04/2015

Product Name: STONSET FP9 PASTE Supercedes Date: 06/16/2015

CATALYST

**1.2 Relevant identified uses of the**substance or mixture and uses
Hardener for 2 components coatings - Industrial use.

1.3 Details of the supplier of the safety data sheet

**Manufacturer:** Stonhard, Division of StonCor Group, Inc.

1000 East Park Avenue Maple Shade, NJ 08052

+1 856 7797500 (US)

Datasheet Produced by: Darnell, Benjamin - ehs@ stoncor.com

1.4 Emergency telephone number: CHEMTREC 1-800-424-9300 (Inside US)

CHEMTREC +1 703 5273887 (Outside US)

# 2 Hazard Identification

advised against

### 2.1 Classification of the substance or mixture

Hazardous to the aquatic environment, Acute, category 1 Eye Irritation, category 2 Skin Sensitizer, category 1

#### 2.2 Label elements

### Symbol(s) of Product





### Signal Word

Warning

#### Named Chemicals on Label

Hazardaya ta tha agus ta anyiranna ant

dibenzoyl-peroxide

### HAZARD STATEMENTS

Acute, category 1	H400	very toxic to aquatic life.
Eye Irritation, category 2	H319	Causes serious eye irritation.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
PRECAUTION PHRASES		
	P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
	P273	Avoid release to the environment
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
	P333+313	If skin irritation or rash occurs: Get medical advice /attention.
	P391	Collect spillage.

Vany toyic to aquatic life

### 23 Other hazards

**Not applicable** 

### Results of PBT and vPvB assessment

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

Ц 400

# 3. Composition/Information On Ingredients

### 3.1 Substances

### Hazardous Ingredients

 CAS-No.
 Chemical Name
 %

 94-36-0
 dibenzoyl-peroxide
 75-100

 CAS-No.
 GHS Symbols
 GHS Hazard Statements
 MFactors

 94-36-0
 GHS 02-GHS 07-GHS 09
 H242-317-319-400
 0

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

# 4. First-aid Measures

### 4.1 Description of First Aid Measures

**GENERAL NOTES:** When symptoms persist or in all cases of doubt seek medical advice.

**AFTER INHALATION:** Move to fresh air.

AFTER SKIN CONTACT: Wash off immediately with soap and plenty of water.

AFTER EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove

contact lenses. If eye irritation persists, consult a specialist

**AFTER INGESTION:** Never give anything by mouth to an unconscious person. If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. If swallowed, call a poison control centre or doctor immediately.

### Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

Harmful by inhalation, in contact with skin and if swallowed.

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

# 5. Fire-fighting Measures

#### 5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

#### 5.2 Special hazards arising from the substance or mixture

Heating or fire can release toxic gas.

# 5.3 Advice for firefighters

Water spraySandFoamCarbon dioxide (CO2)HalonsDry chemicalWater contaminating class (Germany)

### Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective equipment.

### 6.2 Environmental precautions

No Information

# 6.3 Methods and material for containment and cleaning up

Pick up and transfer to properly labelled containers. Do not let product enter drains. After cleaning, flush away traces with water. Avoid breathing dust

#### 6.4 Reference to other sections

Please refer to disposal requirements or country specific disposal requirements for this material. See Section 13 for further information.

# 7. Handling and Storage

#### 7.1 Precautions for safe handling

**INSTRUCTIONS FOR SAFE HANDLING:** Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Avoid contact with skin and eyes.

**PROTECTION AND HYGIENE MEASURES:** Wash hands before breaks and at the end of workday. Do not breathe dust When using, do not eat, drink or smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID:** Direct sources of heat

**STORAGE CONDITIONS:** Keep tightly closed in a dry and cool place. Keep locked up or in an area accessible only to qualified or authorised persons.

### 7.3 Specific end use(s)

No specific advice for end use available.

# 8. Exposure Controls/Personal Protection

# 8.1 Control parameters

Ingredients with Occupational Exposure Limits

(US)

 Name
 %
 OSHAPEL
 ACGIH TLV

 dibenzoyl-peroxide
 75-100
 5.0 MG M3
 5.0 MG M3

FURTHER INFORMATION: Refer to the regulatory exposure limits for the workforce enforced in each country.

### 8.2 Exposure controls

Personal Protection

**RESPIRATORY PROTECTION:** Effective dust mask.

EYE PROTECTION: Safety glasses.

HAND PROTECTION: Rubber or plastic gloves. Long sleeved clothing. Remove and wash contaminated clothing before re-

use

OTHER PROTECTIVE EQUIPMENT: No Information

ENGINEERING CONTROLS: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined

areas.

# 9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: MILKY WHITE

Physical State VISCOUS LIQUID

Odor NOT DETERMINED

Odor threshold Not determined

**pH** NOT DETERMINED

Welting point / freezing point (°C)Not determinedBoiling point/range (°C)N.D. - N.D.Flash Point, (°F /°C)184F /84C

Evaporation rate Not determined Flammability (solid, gas) Not determined

Upper/lower flammability or explosive N.E. - N.E.

imits

Vapour Pressure NIL

Vapour density HEAVIER THAN AIR

Relative density Not determined

Solubility in / Miscibility with water NIL

Partition coefficient: n-octanol/water

Not determined

Auto-ignition temperature (°C)

Not determined

Decomposition temperature (°C)

Not determined

Viscosity 4678 CPS

Explosive properties Not determined

Oxidising properties Not determined

### 9.2 Other information

VOC Content q/l:

0

Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

Specific Gravity (g/cm3) 1.200

# 10. Stability and Reactivity

#### 10.1 Reactivity

Explosive reaction may occur on heating or burning.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

#### 10.4 Conditions to avoid

Direct sources of heat

### 10.5 Incompatible materials

Strong oxidizing agents.

# 10.6 Hazardous decomposition products

Carbon monoxideBenzoic acid. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

# 11. Toxicological Information

### 11.1 Information on toxicological effects

**Acute Toxicity:** 

Oral LD50:

Inhalation LC50:

**Irritation:** No information available.

**Corrosivity:** No information available.

**Sensitization**: No information available.

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

**Mutagenicity:** No information available.

**Toxicity for reproduction:** No information available.

# If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below.

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50
94-36-0	dibenzovl-peroxide	>5000 ma/ka		>24.3 ma/L (4 hr)

# Additional Information:

No Information

# 12 Ecological Information

12.1 Toxicity:

EC50 48hr (Daphnia):No informationIC50 72hr (Algae):No informationLC50 96hr (fish):No information

**12.2 Persistence and degradability:**No information

**12.3 Bioaccumulative potential:**No information

**12.4 Mobility in soil:**No information

12.5 Results of PBT and vPvB The product does not meet the criteria for PBT WPvB in accordance with Annex XIII.

assessment

**12.6 Other adverse effects:** No information

 CAS-No.
 Chemical Name
 EC50 48hr
 IC50 72hr
 LC50 96hr

 94-36-0
 dibenzoyl-peroxide
 .11 mg/l
 .07 mg/l
 .06 mg/l

# 13. Disposal Considerations

13.1 WASTE TREATMENT WETHODS: Send to a licensed waste management company. If recycling is not practicable, dispose of in compliance with local regulations. Uncontrolled disposal or recycling of this packaging is not permitted and can be dangerous. Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport Information

**14.1 UN number** UN 3108

**14.2 UN proper shipping name** Organic Peroxide Type E, Solid **Technical name** Dibenzoyl Peroxide <52%

14.3 Transport hazard class(es) 5.2

Subsidiary shipping hazard

14.4 Packing group

14.5 Environmental hazards

14.6 Special precautions for user Not applicable

**EmS-No.**: F-J, S-R

14.7 Transport in bulk according to Annex II Not applicable

of MARPOL 73/78 and the IBC code

# 15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

# U.S. Federal Regulations: As follows -

### **CERCLA - Sara Hazard Category**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Reactive Hazard, Acute Health Hazard

#### Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the U.S. Superfund Amendment and Reauthorization Act (SARA) of 1986 and 40 CFR part 372:

Chemical NameCAS-No.dibenzoyl-peroxide94-36-0

### **Toxic Substances Control Act**

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(b) components exist in this product

### U.S. Clean Air Act

EPA Coating Category: INDUSTRIAL MAINTENANCE COATINGS

EPA VOC Content Limit (g/l): 450
Product VOC Content (g/l) 40
Thinning Recommendations: NONE

Application Recommendations: FOR PROFESSIONAL USE ONLY.

# U.S. State Regulations: As follows -

### New Jersey Right-to-Know.

The following materials are non-hazardous, but are among the top five components in this product.

No NJ Right-To-Know components exist in this product

### Pennsylvania Right-To-Know

The following non-hazardous ingredients are present in the product at greater than 3%.

No PA Right-To-Know components exist in this product

# California Proposition 65:

Warning: The following ingredients present in the product are known to the State of California to cause cancer:

No Proposition 65 Carcinogens exist in this product

Warning: The following ingredients present in the product are known to the State of California to cause birth defects, or other reproductive hazards.

No Proposition 65 Reproductive Toxins exist in this product

# International Regulations: As follows -

#### \* Canadian DSL:

All chemical ingredients included on inventory or exempt.

# 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

<sup>\*</sup> As per the federal EPA definition for coating categories in 40 CFR 59.401.

<sup>\*\*</sup> Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

### Other Information

#### Text for GHS Hazard Statements shown in Section 3 describing each ingredient

H242 Heating may cause a fire.

H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H400 Very toxic to aquatic life.

### Reasons for revision

This Safety Data Sheet (SDS) has been revised to meet updated national hazard communication standards which have adopted the provisions of the UN GHS system. There have been both formatting and content changes based on the GHS classification (if applicable), Please review each section of the SDS for specific changes. This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes.

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark ESIS (The European Chemical Substances Information System), provided by the European Commission Joint Research Centre in Ispra, Italy

Annex VI of the EU Council Directive 67/548/EEC

Council Directive 67/548/EEC - Annex I or EU Council Directive 1999/45/EC

European Union (EC) Regulation No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation)

EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"

#### Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

EC European Commission
EU European Union
US United States

CAS Chemical Abstract Service

EINECS European Inventory of Existing Chemical Substances

REACH Registration, Evaluation, Authorization of Chemicals Regulation

GHS Globally Harmonized System of Classification and Labeling of Chemicals

LTEL Long term exposure limit
STEL Short term exposure limit
OEL Occupational exposure limit

ppm Parts per million

mg/m3 Milligrams per cubic meter TLV Threshold Limit Value

ACGIH American Conference of Governmental Industrial Hygienists

OSHA Occupational Safety & Health Administration

PEL Permissible Exposure Limits
VOC Volatile organic compounds

g/l Grams per liter

mg/kg Milligrams per kilogram

N/A Not applicable LD50 Lethal dose at 50%

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration
IC50 Half maximal inhibitory concentration
PBT Persistent bioaccumulative toxic chemical
vPvB Very persistent and very bioaccumulative

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road

RID International Transport of Dangerous Goods by Rail

UN United Nations

IMDG International Maritime Dangerous Goods Code
IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978

IBC International Bulk Container

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.